

VSH XPress Copper wall plate 90° (press x female thread)



group: S15 category: fittingen product line: VSH XPress Copper

The VSH XPress S15 is a gunmetal 90° wallplate with a press and a female thread end. By using VSH XPress in your piping installation you can install in a quick, easy and clean way. VSH XPress provides a complete piping system suitable for every conceivable application. insert stop: stop edge for pipe end provided with all relevant approvals Leak Before Pressed-function clear identification on fitting of material and dimension

applications

potable water, heating, cooling,
compressed air, vacuum

segments

residential , shipbuilding , industry
, commercial building

approvals

QB (CSTBat) , DVGW Wasser ,
KIWA , SINTEF , DNV-GL , ÖVGW
Wasser , RISE , ÜA , ATG , BSI
Kitemark , WRAS

assortment

item number	size	weight	dimensions	packaging	gtin
38397	12xRp1/2"	0.09 kg	31x44x76 mm	bag (5 pce)	05022050205193
38400	15xRp1/2"	0.09 kg	35x50x55 mm	bag (10 pce)	05022050384010
38398	18xRp1/2"	0.12 kg	40x50x55 mm	bag (5 pce)	05022050205278
38401	22xRp3/4"	0.14 kg	45x50x60 mm	bag (5 pce)	05022050384034

specifications - product info

item	VSH XPress Copper wall plate 90° (press x female thread)
item number with gtin	S15
manufacturer	Aalberts integrated piping systems B.V. (VSH)
weight	0.14 kg
dimensions	45x50x60 mm

specifications - technical

max operating pressure liquid	16 bar
min. medium temperature	-20 °C
max medium temperature	110 °C
peak medium temperature	135 °C

dimensions

item number	size	d1	DN1	l1	z1	d2	DN2	l2	z2	slw0	radius	angle
38397	12xRp1/2"	12.0	DN10	63	46	21.3	1/2" (DN15)	25	10	15	17	180
38400	15xRp1/2"	15.0	DN12	42	22	21.3	1/2" (DN15)	20	9	18	20	180
38398	18xRp1/2"	18.0	DN15	43	23	21.3	1/2" (DN15)	24	9	25	20	180
38401	22xRp3/4"	22.0	DN20	45	24	26.9	3/4" (DN20)	27	11	18	20	180


item number	size
38397	12xRp1/2"
38400	15xRp1/2"
38398	18xRp1/2"

specifications - characteristics

color	copper
materials	bronze (EN CC499K)
finishing	none
shape	Wall plate, 180°
connection type	press (M), Rp - female thread cylindrical (BSPT)
pressure rating (PN)	PN 16
sealing	EPDM

specifications - general

product group	ittings
ETIM class	ECO03099 Wall plate
HS code	74122000
brand	VSH
series	XPress Copper
product type	6472G
scip	966cd6bc-74ae-47a8-951b-016935a13ff8



sustainability

item number	size	carbon footprint (A1-A3) cradle-to-gate	carbon footprint (A-C) embodied carbon	carbon footprint (A-D) cradle-to-cradle	data source
38397	12xRp1/2"	0.27kgCO2e	0.31kgCO2e	0.16kgCO2e	EPD
38400	15xRp1/2"	0.27kgCO2e	0.31kgCO2e	0.16kgCO2e	EPD
38398	18xRp1/2"	0.35kgCO2e	0.4kgCO2e	0.21kgCO2e	EPD
38401	22xRp3/4"	0.41kgCO2e	0.47kgCO2e	0.24kgCO2e	EPD

downloads

- 6472G - png

Diagram - png
- MSDS_VSH_XPress_Copper - pdf